



SMALL RuminanTs breeding for Efficiency and Resilience

Evaluation demystifier


T. Pabiou & Sheep Ireland team



Smarter RoundTable, Ireland,
12/07/2022



- Holy trinity



- Output: breeding values & accuracies


Records


- A.k.a Phenotypes
- Have to be related somehow to farm profit
- Can be any shape: kg, count, Euros, scores, wave length, pixels, genotype...
- Unbiased recording within flocks
- Timeliness is a big bonus



Pedigree








- A.k.a Ancestry
- Allows to connect records through bloodlines
- Needs to be as accurate/deep as possible
- Genotyping is a big bonus





- A.k.a The computer
- Uses Records and Pedigree
- Allows to statistically separate environment & genetic for each records
- Ran weekly on all 'clean' records and all pedigree
- Big computer is a big bonus

Who gets breeding values?

							
Pedigree	✓	✓	✓		✓		
Records	✓	✓			✓	✓	
Genotypes	✓			✓	✓		
Model	✓	✓	✓	✓		✓	✓
Breeding value & accuracy?	✓	✓	✓	✓	✗	✗	✗

Basic principles of g. evaluation



Nothing changes if
nothing changes

More (accurate)
phenotypes = more
accuracy of breeding
values

Progeny records &
Genotypes are the big
influencers to follow


Old rams breeding
values won't change
any more unless model
changes

If something changes
then something must
have changed (but can
be hard to track down)

New rams breeding
values will change as
records come in the
evaluation

Star rating will change
even if the breeding
value does not change


Life cycles of breeding values




Stage in life	Birth	Lamb ram	Active ram		Proven ram
Record type		+Own records	+Progenies	+Grand progenies	No more
Breeding value type	Parent average	Direct breeding values	Direct breeding values	+Maternal breeding values	Final breeding values
Accuracy	Min.	+	++	+++	+++

Testing the g. evaluation



Part 1. Old rams



Old rams (last progenies born in 2010) breeding values remain stable




- *Using 30 evaluations ran in 2021
- *Breed solutions are a product of an across-breed evaluation.
- *Small changes in breed solutions affect all rams but not the star rating




Testing the g. evaluation

Part 2. New rams





***New rams (first progenies born in 2021) will move as their records hit in the evaluation**

***Team of rams strengthen predictability**



***All new rams were genotyped before the start of 2021**
***Using 30 evaluations ran in 2021**



It's all about the base(s)

Part 1. Breeding values

Eval. 2020		B.V. fixed base							
	...	2005	2006	...	2016	2017	2018	2019	2020

Eval. 2021		B.V. fixed base								
	...	2005	2006	...	2016	2017	2018	2019	2020	2021

Eval. 2022		B.V. fixed base									
	...	2005	2006	...	2016	2017	2018	2019	2020	2021	2022

It's all about the base(s)

Part 2. Star rating





Eval. 2020					Stars mobile base / breed				
	...	2005	2006	...	2016	2017	2018	2019	2020

Eval. 2021						Stars mobile base / breed				
	...	2005	2006	...	2016	2017	2018	2019	2020	2021

Eval. 2022							Stars mobile base / breed				
	...	2005	2006	...	2016	2017	2018	2019	2020	2021	2022





Part 1. Terminal

- Comparing 2 evaluations: Full eval. vs Eval 4 years ago*
- Same evaluation model = no change in stars due to model improvement
- Showing star thresholds by breed
- Approx. star movement/year: +0.05 to 0.15



Part 2. Replacement


- Comparing 2 evaluations: Full eval. vs Eval 4 years ago*
- Same evaluation model = no change in stars due to model improvement
- Showing star thresholds by breed
- Approx. star movement/year: +0.01 to 0.23



Comparing Terminal star movements

TERMINAL STARS - 2015 vs 2016

main_breed1 = ALL BREEDS




Comparing star movements from parent average (PA) to progeny (PROG)

← Stars 2015 = PA
Stars 2016 = PROG

Star 2020 = PA →
Star 2021 = PROG

TERMINAL STARS - 2020 vs 2021


main_breed1 = ALL BREEDS



Comparing Replac. star movements

REPLACEMENT STARS - 2015 vs 2016

main_breed1 = ALL BREEDS




Comparing star movements from parent average (PA) to progeny (PROG)

← Stars 2015 = PA
Stars 2016 = PROG

Star 2020 = PA →
Star 2021 = PROG

REPLACEMENT STARS - 2020 vs 2021

main_breed1 = ALL BREEDS



- Breeding values depends on records, genotype, pedigree, and model used
- Breeding values are displayed using the star rating system
- Star rating evolves every year and is a reflection of the genetic gain & selection pressure in each breed.
- Recording improve with time => more stable breeding values
- The genetic & genomic evaluation will always adapt to new traits / methods with the goal to improve farm profit.

SMARTER PARTNERS



Thank you for your attention

www.smarterproject.eu